

## CONTENT

Hospital nursing bed.....	2
Electric multi-purpose surgical operation table.....	18
Wheel chair .....	24
Commode wheel chair .....	40
Shower chair.....	42
Aluminum walker .....	44
Stick & crutch .....	46
Trolley .....	50
Cabinet & Table .....	55
Miscellaneous.....	59

## HOSPITAL NURSING BED

### HNB01

#### Family-style fowler bed

- ▶ Bed head and tail are made of high quality wood & MFC, beautiful and stable, freely to install and remove.
- ▶ Bed frame welded by profile steel is stable and reliable. Crank system is designed with limit protecting equipment, reliable and easy to operate.

#### Dimension:

- ▶ Size: 2080×1080×530mm
- ▶ Back section: 695×1080mm
- ▶ Seat section: 180×1080mm
- ▶ Femoral section: 290×1080mm
- ▶ Leg section: 610×1080mm
- ▶ Angle of back section: 0°-70° (±5°)
- ▶ Angle of leg section: 0°-30° (±5°)



### HNB02

#### Family-style semi-fowler bed

- ▶ Bed head and tail are made of high quality wood & MFC, beautiful and stable, freely to installed and removed.
- ▶ Bed frame welded by profile steel is stable and reliable.
- ▶ Crank system is designed with limit protecting equipment, reliable and easy to handle.

#### Dimension:

- ▶ Size: 2290×1080×530mm
- ▶ Back section: 695×1080mm
- ▶ Angle of back section: 0°-70° (±5°)
- ▶ Angle of leg section: 0°-30° (±5°)



---

### **HNB03**

#### **Fowler bed for family**

- ▶ Bed head and tail are made of high quality wood & MFC, which are beautiful and generous, freely installed and removed.
- ▶ The bed surface is shaped one for all by cold rolled steel plate and is stable and reliable.
- ▶ Crank system is designed with limit protecting equipment, reliable and easy to handle.

#### **Dimension:**

- ▶ Size: 2290×1170×530mm
- ▶ Angle of back section: 0 °-70 ° (±5°)
- ▶ Back section: 695×1170mm
- ▶ Angle of leg section: 0 °-30 ° (±5°)



### **HNB04**

#### **Fowler bed for family**

- ▶ Bed head and end are made of high quality wood & MFC, beautiful and generous, freely installed and removed.
- ▶ The bed surface is shaped one for all by cold rolled steel plate, stable and reliable.
- ▶ Crank system is designed with limit protecting equipment, reliable and easy to operate.

#### **Dimension:**

- ▶ Size: 2080×1080×530mm
- ▶ Back section: 695×1080mm
- ▶ Seat section: 180×1080mm
- ▶ Femoral section: 290×1080mm
- ▶ Leg section: 610×1080mm
- ▶ Angle of back section: 0 °-70 ° (±5°)
- ▶ Angle of leg section: 0 °-30 ° (±5°)



---

## HNB05

### Fowler bed with ABS headboard and chamber pot

- ▶ Size: 2030×960×530mm
- ▶ The bed board is made of ABS, the surface is fine and smooth, which is easy to clean.
- ▶ The rockers are made of steel alloy, which can be folded.
- ▶ The crank system has extreme position protecting designing.
- ▶ The bed surface is welded by bar iron, equipped with bed rails on the two sides of the bed frame as a whole, which can be lied down vertically.
- ▶ The whole bed body is treated by electrostatic powder coated and baked.
- ▶ One cross-bed table made of high density plywood is added as an accessory.
- ▶ The bottom of the bed leg is covered with protecting rubber.
- ▶ The stool and chamber pot can be scratched out by operating the crank under the bed surface.
- ▶ The back panel can be lifted up from 0 °to 70° (±5°); the foot panel can be lifted up from 0 °to 30° (±5°)
- ▶ The bed is matched with mattress, which has the same function with the bed, made of anti-sliding and anti-water cloth.



## HNB06

### Semi-fowler bed with chamber pot

Size: 2030×960×530mm

- ▶ The headboards are made of cold steel pipe, electrostatic powder coated and baked.
- ▶ The rockers are made of steel alloy, which can be folded.
- ▶ The crank system has extreme position protecting designing.
- ▶ The bed surface is welded by bar iron, equipped with bed rails on the two sides of the bed frame as a whole, which can be lied down vertically.
- ▶ The whole bed body is treated by adid and electrostatic powder coated and baked.
- ▶ One cross-bed table made of high density plywood is added as an accessory.
- ▶ The bottom of the bed legs is covered with protecting rubber.
- ▶ The stool and chamber pot can be scratched out by operating the crank under the bed surface.
- ▶ The back panel can be lifted up from 0 °to 70° (±5°).
- ▶ The bed is matched with mattress, which has the same function with the bed, made of anti-sliding and anti-water cloth.



## HNB07

### Multifunctional electric medical bed

- ▶ Size: 2200×1080×460/650mm
- ▶ Dismountable PE/ABS bedside, footboard.
- ▶ 24V DC motor, which is the introduced Denmark LINAKLINKAN motor series with CE and UL and many other electric appliances safety certification permission.
- ▶ Configuring the central-brake double sided castors of  $\phi 150\text{mm}$  with higher stability, thus, it can reduce the friction with the ground and is easier to push the bed.
- ▶ The elevation of back, legs and bed and turning over to right and left can be adjusted at will.
- ▶ The operation of manual control panel can fulfill the various functions of medical bed, so, the operation is quick, clear and convenient.
- ▶ Back inclination:  $80^{\circ}\pm 5^{\circ}$ , leg inclination:  $35^{\circ}\pm 5^{\circ}$ , left and right inclination of bed surface:  $30^{\circ}\pm 5^{\circ}$ .
- ▶ Supply voltage: 110V and 220V.



## HNB08

### Three-rocker wholly lifting nursing bed

- ▶ Size: 2220×1040×460/660mm
- ▶ ABS bed head and tail can be freely installed and removed, self-lock, rust-resisted.
- ▶ Four truckles adopt full-braked doubled-side central control system, which is load-endurable and noiseless.
- ▶ Automatic lifting guardrail is safe and reliable, and can be fixed up and down.
- ▶ Bed surface is punched and molded by cold rolled steel plate. The surface is treated by plastic-spray, to remove rust by ultrasonic to be anti-impact and stainless.
- ▶ UPS and famous Denmark motor are equipped with electric lift mechanism to enhance the lift strength and facilitate reliable lift and fall without noise.



---

## HNB09

### Two-rocker nursing bed

- ▶ Size: 2220×1040×530mm
- ▶ Being made of ABS engineering plastic by injection molding, the bed head and guardrail are beautiful, solid and durable.
- ▶ The four truckles adopt central controlled brake system, which is load-endurable and noiseless.
- ▶ The bed surface is made of cold steel plate by impact molding, to remove rust by ultrasonic and coated by electrostatic powder coatings spraying to be anti-impact and stainless.
- ▶ The leading screw equipping with the check protector is flexible to operate.



## HNB10

### Central controlled electric three-rocker nursing bed

- ▶ Size: 2150×960×460/660mm
- ▶ Being made of ABS engineering plastic by injection molding, the bed head is beautiful, solid and durable.
- ▶ Being made of aeronautical aluminum profile, the aluminum alloy guardrail can lift and fall easily and it is also durable.
- ▶ The four truckles adopt central controlled brake system, which is load-endurable, flexible and noiseless.
- ▶ The bed surface is made of cold steel plate by impact molding, to remove rust by ultrasonic and coated by electrostatic powder coatings spraying to be anti-impact and stainless.
- ▶ UPS and famous Denmark motor are equipped with electric lift mechanism to enhance the lift strength and facilitate reliable lift and fall without noise.



## HNB11

### Manual 2-rocker nursing bed with ABS bed head and truckles

- ▶ Size: 2150×960×530mm
- ▶ Being made of ABS engineering plastic by injection molding, the bed head is beautiful, solid and durable.
- ▶ Being made of aeronautical aluminum profile, the aluminum alloy guardrail can lift and fall easily and it is also durable.
- ▶ The truckle, consisting of noiseless rubber-plastic and an inbuilt bearing, is load-endurable and flexible.
- ▶ The bed surface is made of cold steel plate by impact molding, to remove rust by ultrasonic and coated by electrostatic powder coatings spraying to be anti-impact and stainless.
- ▶ The leading screw equipping with the check protector is flexible to operate.



## HNB12

### Manual 2-rocker nursing bed with ABS bed head and surface and truckles

- ▶ Size: 2150×960×530mm
- ▶ Being made of ABS engineering plastic by injection molding, the bed head and surface are beautiful, solid and durable.
- ▶ Being made of aeronautical aluminum profile, the aluminum alloy guardrail can lift and fall easily and it is also durable.
- ▶ The truckles, consisting of noiseless rubber-plastic and an inbuilt bearing are load-endurable and flexible.
- ▶ The leading screw equipping with the check protector is flexible to operate.



---

### **HNB13**

#### **Central controlled electric 5-function nursing bed with plastic-steel bed head**

- ▶ Size: 2150×1040×460/660mm
- ▶ Being made of stainless steel and enhanced ABS engineering plastic by injection molding, the bed head is solid durable and easy to clean.
- ▶ Being made of ABS engineering plastic by injection molding, the guardrail is beautiful, solid and durable.
- ▶ The four truckles adopt central controlled brake system, which is load-endurable, flexible and noiseless.
- ▶ The bed surface is made of cold steel plate by impact molding, to remove rust by ultrasonic and coated by electrostatic powder coatings spraying to be anti-impact and stainless.
- ▶ UPS and famous Denmark motor are equipped with electric lift mechanism to enhance the lift strength and facilitate reliable lift and fall without noise.



### **HNB14**

#### **Manual three-rocker nursing bed with plastic-steel bed head and legs integrated with truckles**

- ▶ Size: 2150×960×460/660mm
- ▶ Being made of stainless steel and enhanced ABS engineering plastic by injection molding, the bed head is solid durable and easy to clean.
- ▶ Being made of aeronautical aluminum profile, the aluminum alloy guardrail can lift and fall easily and it is also durable.
- ▶ The truckle, consisting of noiseless rubber-plastic and an inbuilt bearing, is load-endurable and flexible.
- ▶ The bed surface is made of cold steel plate by impact molding, to remove rust by ultrasonic and coated by electrostatic powder coatings spraying to be anti-impact and stainless.
- ▶ Two gas springs are added to the handle lift check leading screw to enhance the support strength and reduce the load of rocker and makes the mechanism easy to operate.



---

## **HNB15**

### **Manual two-rocker nursing bed with plastic-steel bed head**

- ▶ Size: 2150×960×530mm
- ▶ Being made of stainless steel and enhanced ABS engineering plastic by injection molding, the bed head is solid durable and easy to clean.
- ▶ Being made of aeronautical aluminum profile, the aluminum alloy guardrail can lift and fall easily and it is also durable.
- ▶ The truckle, consisting of noiseless rubber-plastic and an inbuilt bearing, is load-endurable and flexible.
- ▶ The bed surface is made of cold steel plate by impact molding, to remove rust by ultrasonic and coated by electrostatic powder coatings spraying to be anti-impact and stainless.
- ▶ The leading screw equipping with the check protector is flexible to operate.



## **HNB16**

### **Manual two-rocker nursing bed with ABS bed head**

- ▶ Size: 2150×960×530mm
- ▶ Being made of ABS engineering plastic by injection molding, the bed head is beautiful, solid and durable.
- ▶ Being made of aeronautical aluminum profile, the aluminum alloy guardrail can lift and fall easily and it is also durable.
- ▶ The bed surface is made of cold steel plate by impact molding, to remove rust by ultrasonic and coated by electrostatic powder coatings spraying to be anti-impact and stainless.
- ▶ The leading screw equipping with the check protector is flexible to operate.



---

## HNB17

### Manual two-rocker nursing bed with plastic-steel bed head

- ▶ Size: 2150×900×530mm
- ▶ Being made of stainless steel and enhanced ABS engineering plastic by injection molding, the bed head is solid durable and easy to clean.
- ▶ The truckle, consisting of noiseless rubber-plastic and an inbuilt bearing, is load-endurable and flexible.
- ▶ The bed surface is made of cold steel plate by impact molding, to remove rust by ultrasonic and coated by electrostatic powder coatings spraying to be anti-impact and stainless.
- ▶ The leading screw equipping with the check protector is flexible to operate.



## HNB18

### Two-rocker nursing bed with ABS bed head and punched steel plate bed surface and truckles

- ▶ Size: 2150×900×530mm
- ▶ Being made of ABS engineering plastic by injection molding, the bed head is solid durable and fadeless.
- ▶ The bed surface is made of cold steel plate by impact molding, to remove rust by ultrasonic and coated by electrostatic powder coatings spraying to be anti-impact and stainless.
- ▶ The leading screw equipping with the check protector is flexible to operate.



---

## HNB19

### Single rocker nursing bed with ABS bed head and strip steel plate bed surface

- ▶ Size: 2150×900×530mm
- ▶ Being made of ABS engineering plastic by injection molding, the bed head is solid durable and fadeless.
- ▶ The bed surface is welded by cold steel plate, to remove rust by ultrasonic and coated by electrostatic powder coatings spraying to be anti-impact and stainless.
- ▶ The leading screw equipping with the check protector is flexible to operate.



## HNB20

### Single-rocker nursing bed with composite stainless steel and aluminum-plastic plate mobile bed head and cabinet

- ▶ Size: 2150×900×530mm
- ▶ The bed head is welded with stainless steel by argon arc welding
- ▶ The bed surface is made of cold steel plate by impact molding, to remove rust by ultrasonic and coated by electrostatic powder coatings spraying to be anti-impact and stainless.
- ▶ Aluminum-plastic plate with electrostatic painting produced through advanced technique is beautiful and generous.
- ▶ The leading screw equipping with the check protector is flexible to operate.



### HNB21

#### Single-rocker bed with stainless steel and aluminum-plastic plate bed head

- ▶ Size: 2150×900×530mm
- ▶ The bed head is welded with stainless steel by argon arc welding.
- ▶ Aluminum-plastic plate with electrostatic painting produced through advanced technique is beautiful and generous.
- ▶ The bed surface is welded by steel and is firm and durable.
- ▶ Rockers adopting double-side pressure bearing can spirally lift and is durable.



### HNB22

#### Flat bed with flat tube bed head and cabinet

- ▶ Size: 2150×900×530mm
- ▶ Bed head is cold bended and welded by flat quadrate tube with argon-arc welding.
- ▶ Bed body is welded by cold rolled profile steel.
- ▶ The surface is ageing resistant and free from rust for the adoption of ultrasonic rust removing and electrostatic plastic-spray on it.



### HNB23

#### Simple Turn-over bed

- ▶ Size: 2150×900×530mm
- ▶ Bed head is welded by stainless steel with argon arc welding, with smooth surface.
- ▶ Bed body is welded by cold rolled profile steel.
- ▶ The surface is ageing resistant and free from rust for the adoption of ultrasonic rust removing and electrostatic plastic-spray on it.
- ▶ Bed surface can turn over on left-right side. Patients can regulate at their demands.
- ▶ Cranks with inserted bearing are flexible and fastness.



---

## HNB24

### Two-rocker nursing bed with stainless steel bed head, guardrail and cabinet

- ▶ Size: 2150×900×530mm
- ▶ Guardrail on the bed head is welded with stainless steel by argon arc welding.
- ▶ The bed surface is made of cold steel plate by impact molding, to remove rust by ultrasonic and coated by electrostatic powder coatings spraying to be anti-impact and stainless.
- ▶ The leading screw equipping with the check protector is flexible to operate.



## HNB25

### Wheeled double-rocker bed with stainless steel removable bed head and bed legs

- ▶ Size: 2150×900×530mm
- ▶ Bed head and bed frame are welded by stainless steel with argon arc welding.
- ▶ Bed body is pressed by cold rolled steel plate in on time. The surface is ageing resistant and free from rust for the adoption of ultrasonic rust removing and electrostatic plastic-spray on it.
- ▶ Rockers adopting double-side pressure bearing can spirally lift and is durable.
- ▶ Equipped with four full-braked universal truckles, the bed can move flexibly, bear stronger force.



### HNB26



#### Flat bed

Size: 2020×900×500mm

- A: Stainless steel
- B: Steeliness
- C: Stainless steel bed head and steel bed surface

### HNB27



#### Single-rock bed

Size: 2020×900×500mm

- A: Stainless steel
- B: Steeliness
- C: Stainless steel bed head and steel bed surface

### HNB28



#### Double-rock bed

Size: 2020×900×500mm

- A: Stainless steel
- B: Steeliness
- C: Stainless steel bed head and steel bed surface

### HNB29

#### Plastic-spray steel tube child bed

- ▶ Size: 1720×760×530mm
- ▶ The bed head and guardrail are welded by cold vending steel tube.
- ▶ The bed body is welded by cold rolled profile steel.
- ▶ The surface is ageing resistant and free from rust for the adoption of ultrasonic rust removing and electrostatic plastic-spray on it.
- ▶ Guardrail can be lifted freely and is safe, reliable and durable.



### HNB30

#### Child bed with stainless bed head and guardrail

Size: 1720×760×530mm

Bed head and guardrail are welded by high quality stainless steel with argon arc welding.

The bed body is welded by cold rolled profile steel.

The surface is ageing resistant and free from rust for the adoption of ultrasonic rust removing and electrostatic plastic-spray on it.



---

Guardrail can be lifted freely and is safe. Its surface is smooth.

### HNB31

#### Wheeled steel tube plastic-spray double-rocker child bed

- ▶ Size: 1720×760×530mm
- ▶ The bed head and guardrail are welded by cold vending steel tube.
- ▶ The bed body is welded by cold rolled profile steel.
- ▶ The surface is ageing resistant and free from rust for the adoption of ultrasonic rust removing and electrostatic plastic-spray on it.
- ▶ Guardrail can be lifted freely and is safe, reliable and durable.



### HNB32

#### Double-arm stainless steel traction bed with truckles and sloped surface

- ▶ Size: 2060×900×530mm
- ▶ The bed frame is welded by stainless steel with argon arc welding.
- ▶ The supporters of block and wheel are molded by ABS, so that they are flexible, firm and durable.
- ▶ The truckles adopt rubber-plastic inserted bearing and are firm and reliable, flexible brake.



### HNB33

#### Traction bed with stainless steel sloped surface

- ▶ Size: 2060×900×530mm
- ▶ The bed frame and surface are welded by stainless steel with argon arc welding.
- ▶ The supporters of block and wheel are molded by ABS, so that they are flexible, firm and durable.
- ▶ The angle of the surface slope can be adjusted according to the patient's posture and the surface can be sloped backward and forward.
- ▶ Crank adopts double pressure bearing, so that it can flexibly rotate and bear more strong force and is firm and reliable.



---

**HNB34**



**Stainless-organic glass baby trolley**  
Size: 820×460×650mm

**HNB35**



**Stainless steel sticking baby trolley**  
Size: 760×450×910mm

**HNB36**



**Stainless steel baby bed**  
Size: 790×490×910mm

**HNB37**

**Stainless steel examine bed**  
Size: 1800×600×650mm



**HNB38**

**Ordinary steel tube examine bed**  
Size: 1800×600×650mm



**HNB39**

**Steel beam examine bed**  
Size: 1800×600×650mm

---

**HNB40**



**Coated steel obstetric table**

Size: 1600×600×780mm

**HNB41**



**Stainless steel obstetric table**

Size: 1600×600×780mm

**HNB42**

**Stainless stretcher trolley with sailcloth surface**

Size: 1900×600×700

The trolley is welded by stainless steel tube with argon arc welding. With rational design, good surface, the trolley can run conveniently and smoothly in conveying patient. It is firm and durable and can bear stronger force. The truckles can be braked at any time necessary.



**HNB43**


**Stainless steel stretcher trolley with motorcycle wheels**

Steel manual wheelchair

## ELECTRIC MULTI - PURPOSE SURGICAL OPERATION TABLE


### HOB01

- Usage: Gynecology, belly, thorax, urological operation.
- Advantages: stable and safe, low noise, durable. It can change body position easily. It is an essential equipment in the surgical operations.
- Table top dimension: 2020mmx500mm (length×width)
- Height of table top: Ma× 950mm, Min 750mm
- Thickness of cushion 60mm included (electric adjustment)
- Table top adjust forward and backward tilt range: 30° (electric)
- Table top adjust left and right tilt range: 20° (electric)
- Back rest turn upward range 85°, downward 40° (electric)
- Leg plate tilt downward 90° (manual), turn flatly180° (manual)  
turn outward range 90°
- Waist Bridge, raising height 120mm (manual)
- Head rest tilt upward 15°, and downward 90°
- Power voltage: 220V, 50HZ
- Controlling voltage manual: DC 24V



### HOB02

- Usage: surgery operation, as well as gynecology, belly, thorax, urological operation.
- Advantage: stable and safe, low noise, durable. It can change body position easily. It is an essential equipment in the surgical operations. Available for X Ray
- Table top dimension: 2020mm×500mm (length × width)
- Height of table top: min 750mm max 950mm (electric)
- Table top adjust forward and backward tilt range: 20° (electric)
- Table top adjust left and right tilt range: 20° (electric)
- Back rest adjust upward range 80°, downward 25° (electric)
- Leg plate: adjust downward range 90°, upward range 15°.
- Adjust outward and level 90° (manual)
- Head board: adjust upward range 15°.downward range 90° (manual)
- Table face can move lengthways 300mm and available X-ray (electric)
- Outward hanging waist bridge



---

### HOB03

#### Electric multi-purpose surgical operation table with the rack of orthopedics traction

- Usage: surgery operation of abdomen, head, oto-rhico-laryngological obstetrical, gynecological
- Table top dimension: 2030mm×500mm (length × width)
- height for table top: min 750mm max 1000mm
- Table top adjust forward and backward tilt range: 20°
- Table top adjust left and right tilt range 20°
- Back rest adjust upward range 60°
- Leg plate adjust downward range 90°(manual)
- Outward hanging waist bridges



### HOB04

#### Electric multi-purpose surgical operation table

- Usage: variety of operations for the hospital
- Advantages: C arm X-ray machine, with the diagnose ability.
- Table is powered by electric machine.
- Available X-ray
- Table top dimension: 1950mm×500mm (length × width)
- Table top height: min 760mm, max 1010mm (electric)
- Table top tilt range: forward and backward 20° (electric)
- Table top tilt range: left and right 20° (electric)
- Back rest tilt range: upward 60°and downward 15° (electric)
- Leg plate tilt range: upward 15°and downward 90° (manual)
- Head rest tilt range 15°and downward 90° (manual)
- Outward hanging waist bridges



## HOB05

### Gynecology, urology, anus & intestine examine and operation table

- Usage: multi-purpose examine and operation. Gynecology, urology, anus & intestine examine and operation
- Advantage: multi-purpose, the table is powered by electric. Suitable height/angle made of high strength plastic.
- Table top dimension: 1300mm×600mm (length × width)
- Table top: Min 620mm.Max 870mm, thickness of mattress is not included.
- Back rest electric tilt range: upward 80°. Downward 15°
- Electric buttock board tilt angle range: downward 15°, upward 20°



## HOB06

### Gynecology, urology, anus & intestine examine table

- Usage: examine table.
- Advantage: designed according to human body shape. Suit for patient position. Table controlled by electric.
- Table width: 810mm (table face width 560mm)
- The table top length: 1300mm (table face will extend after add the leg shelf)
- Plane table top: 1080mm (include mattress thickness 60mm)
- Table top height when turn it down: 530mm
- Table top turn angle: 50°



---

## HOB07

### Electric multi-purpose obstetric chair

- Usage: gynecological examine, diagnosing, childbearing caesarean birth as well as other gynecological operations. Multi-purpose.
- Table top dimension: width 925mm × length 1900mm (two arms shelf width 325mm)
- Table top height: Max 940mm, Min 740mm, including the table cushion thickness 60mm. (electric)
- Table top tilt forward and backward range: max 15° (electric)
- Back rest tilt range: max 75°



## HOB08

### Automatic obstetric table/patient bed

- Usage: parturition product. The table can be used for obstetric table, examine table, operating table and patient table (patient bed)
- Table top dimension: length 1300mm. (the length with the leg board is 1800mm) Width 650mm (after adding the plus rack height 975mm)
- Eight for the table top. Min 630mm, Max 880mm
- Length for the two kind of divisible board: 200mm, 500mm
- Back rest tilt range: downward 15°, upward 80°. (electric)
- Buttocks board tilt range: upward 20°, downward 15° (electric)
- The foot step power will be made according to customer request.



---

## HOB09

### Ophthalmic operation table

- Usage: special for ophthalmic operations.
- Raising and down by electric machine. Head rest raised and down level manually.
- Table top dimension: length 2030mm width 600mm
- Table top height: min 580mm Max 830mm, including cushion thickness 60mm.
- Head rest upward and downward: 120mm (manual)



## HOB10

### Facial organs electric operation table

- Usage: facial organs operation. It raising and down by electric power with head rest turned by hand and swaying.
- Table top dimension: 2030mm×600mm
- Table top height: Min 580mm Max 830mm including the cushion thickness 60mm
- Back rest tilt range: 0-75°
- Headrest swing range: 45°



## HOB11

### Electric operation chair

- Usage: for doctors to seat during operation
- Chair height range: Min 500mm Max 700mm
- Chair dimension: length 420mm width 200mm
- Should be used under temperature between 10°-40°, moisture ≤ 80%
- Electric power voltage is 220V, frequency 50Hz.



---

### **HOB12**

Single-side waterproof sponge cushion for traction table

Size: 1970×880×80mm



### **HOB13**

Half-palm fiber half-sponge single-side waterproof cushion with stool hole

Size: 1970×880×80mm



### **HOB14**

Palm fiber single-side any-fold cushion

Size: 1970×880×80mm



## WHEELCHAIR



Type	HWC01	HWC02	HWC03
Seat size (cm)	35	46	46
Weight (kg)	18	19	19
Capability (kg)	75	100	100
Legrest	Fixed	Fixed	Fixed
Facture	With fixed armrest.	With fixed armrest.	With fixed armrest.

### Steel manual wheelchair



Type	HWC04	HWC05	HWC06	HWC07
Seat size (cm)	46	46	46	46
Weight (kg)	19	19	20	19
Capability (kg)	100	100		100
Legrest	Fixed	Fixed	Fixed	Fixed
Facture	With fixed armrest.	With fixed armrest.	Hard seat cushion, with fixed armrest.	Mag wheel, with fixed armrest.

## Steel manual wheelchair



Type	<b>HWC08</b>	<b>HWC09</b>	<b>HWC10</b>
Seat size (cm)	46	46	46
Weight (kg)	20	20	15
Capability (kg)	110	110	100
Legrest	Fixed	Fixed	Fixed
Facture	Heavy duty type, mag wheel, with fixed armrest.	Heavy duty type, with fixed armrest.	Heavy duty type. Drop back handle, mag wheel and united brake, with fixed armrest.

## Steel manual wheelchair



Type	<b>HWC11</b>	<b>HWC12</b>	<b>HWC13</b>
Seat size (cm)	46	46	46
Weight (kg)	21	16	21
Capability (kg)	120	100	120
Legrest	Fixed	Fixed	Fixed
Facture	Heavy duty type, Hard seat cushion, with fixed armrest.	Heavy duty type, with fixed armrest.	Heavy duty type, with fixed armrest.

## Steel manual wheelchair



Type	<b>HWC14</b>	<b>HWC15</b>	<b>HWC16</b>
Seat size (cm)	41	41	41
Weight (kg)	22	15	16
Capability (kg)	100	100	100
Legrest	Detachable	Detachable	Detachable
Facture	Special function type, with detachable armrest.	Special function type, with mag wheel and detachable armrest.	Special function type, with mag wheel and detachable armrest.

## Steel manual wheelchair



Type	<b>HWC17</b>	<b>HWC18</b>	<b>HWC19</b>	<b>HWC20</b>
Seat size (cm)	41	41	41	41
Weight (kg)	22	19	19	22
Capability (kg)	100	120	100	100
Legrest	Detachable	Detachable	Detachable	Detachable
Facture	Special function type, with detachable armrest.	Special function type, with detachable armrest.	Special function type, with detachable armrest.	Special function type, with elevating and detachable armrest.

## Steel manual wheelchair



Type	<b>HWC21</b>	<b>HWC22</b>	<b>HWC23</b>
Seat size (cm)	46	41	41
Weight (kg)	19	17	19
Capability (kg)	100	100	110
Legrest	Detachable	Detachable	Detachable
Facture	Special function type, with detachable armrest.	Special function type, detachable armrest, with drop back handle.	Special function type, mag wheel, with detachable armrest.

## Steel manual wheelchair



Type	<b>HWC24</b>	<b>HWC25</b>	<b>HWC26</b>
Seat size (cm)	44	41	44
Weight (kg)	16	18	20
Capability (kg)	100	100	100
Legrest and armrest	Detachable	Detachable	Detachable

Facture	Special function type, mag wheel, with drop back handle.	Special function type, mag wheel, and elevating legrest.	Special function type, with drop back handles.
---------	--	--	--

**Steel manual wheelchair**



Type	<b>HWC27</b>	<b>HWC28</b>	<b>HWC29</b>
Seat size (cm)	51	43	56
Weight (kg)	20	13	23
Capability (kg)	100	100	125
Legrest and armrest	Detachable	Detachable	Detachable
Facture	Special function type	Special function type, mag wheel, with drop back handle.	Special function type, mag wheel.

**Steel manual wheelchair**



Type	<b>HWC30</b>	<b>HWC31</b>
Seat size (cm)	41	41
Weight (kg)	26	26
Capability (kg)	100	100

Legrest and armrest	Detachable	Detachable
Facture	Reclining high back, with elevating legrest.	Reclining high back, with elevating legrest.

**Electric wheelchair**



Type	<b>HWC32</b>	<b>HWC33</b>	<b>HWC34</b>	<b>HWC35</b>
Seat size (cm)	43	43	43	43
Weight (kg)	72	72	72	72
Capability (kg)	120	120	120	120
Battery size (cm)	34*28*30	34*28*30	34*28*30	34*28*30
Facture	Deluxe Steel wheelchair	Deluxe steel wheelchair, with elevating legrest.	Deluxe Steel wheelchair	Aluminum electric wheelchair

**Electric wheelchair**



Type	<b>HWC36</b>	<b>HWC37</b>	<b>HWC38</b>
Seat size (cm)	51	46	46
Weight (kg)	65	33	37
Capability (kg)	120	110	110
Frame material	Steel	Steel	Steel
Battery size (cm)	34*28*30	34*28*30	34*28*30

Facture	Outdoor wheelchair.	Electric and manual folding wheelchair with drop back handle.	Electric folding wheelchair with drop back handle.
---------	---------------------	---	--

### Electric wheelchair



Type	<b>HWC39</b>	<b>HWC40</b>
Seat size (cm)	46	46
Weight (kg)	33	33
Capability (kg)	110	110
Facture	Steel folding wheelchair with drop back handle.	Steel folding wheelchair with drop back handle.

### Aluminum manual wheelchair



Type	<b>HWC41</b>	<b>HWC42</b>	<b>HWC43</b>	<b>HWC44</b>
Seat size (cm)	41	41	41	35
Weight (kg)	13	13	13	13
Capability (kg)	100	100	100	100

Legrest and armrest	Fixed.	Fixed.	Fixed.	Fixed.
Facture	Inclined armrest, with drop back handle.		Drum brake and drop back handle.	Drum brake and drop back handle.

### Aluminum manual wheelchair



Type	HWC45	HWC46	HWC47
Seat size (cm)	41	41	41
Weight (kg)	14	13	13
Capability (kg)	100	110	100
Legrest and armrest	Fixed.	Fixed.	Fixed.
Facture	Drum brake and drop back handle.	United brake.	Mag wheel with united brake.

### Aluminum manual wheelchair



Type	HWC48	HWC49	HWC50
Seat size (cm)	41	41	41
Weight (kg)	20	13	14

Capability (kg)	100	110	100
Legrest and armrest	Fixed.	Fixed.	Fixed.
Facture	Hard seat cushion.		

**Aluminum manual wheelchair**



Type	<b>HWC51</b>	<b>HWC52</b>	<b>HWC53</b>	<b>HWC54</b>
Seat size (cm)	41	41	40	41
Weight (kg)	12	11	10	11
Capability (kg)	100	100	100	100
Legrest and armrest	Fixed.	Fixed.	Fixed.	Fixed.
Facture	High-strength light-weight, with united brake.	High-strength light-weight, mag wheel with united brake.	High-strength light-weight, mag wheel with united brake.	High-strength light-weight, with drop back handle.

**Aluminum manual wheelchair**



Type	<b>HWC55</b>	<b>HWC56</b>	<b>HWC57</b>
Seat size (cm)	41	41	41
Weight (kg)	11	11	12
Capability (kg)	100	100	100

Legrest and armrest	Fixed.	Fixed.	Fixed.
Facture	High-strength light-weight, mag wheel with united brake.	High-strength light-weight, mag wheel.	High-strength light-weight, with drop back handle and united brake.

### Aluminum manual wheelchair



Type	<b>HWC58</b>	<b>HWC59</b>	<b>HWC60</b>	<b>HWC61</b>
Seat size (cm)	36	36	36	27
Weight (kg)	8	8	8	3
Capability (kg)	100	100	100	100
Legrest and armrest	Fixed.	Fixed.	Fixed.	Fixed.
Facture	Transit type, light-weight, mag wheel.	Transit type, light-weight, mag wheel.	Transit type, light-weight, mag wheel.	Transit type wheelchair.

### Aluminum manual wheelchair



Type	<b>HWC62</b>	<b>HWC63</b>	<b>HWC64</b>	<b>HWC65</b>
Seat size (cm)	41	41	41	41
Weight (kg)	13	12	15	15
Capability (kg)	100	100	100	100

Legrest and armrest	Detachable	Detachable	Detachable	Detachable
Facture		Special function type, with united brake.		Mag wheel with drum brake

### Aluminum manual wheelchair



Type	HWC66	HWC67	HWC68
Seat size (cm)	41	41	41
Weight (kg)	14	12	13
Capability (kg)	100	100	100
Legrest and armrest	Detachable	Detachable	Detachable
Facture	Special function type, with drop back handle and drum brake.	Special function type, mag wheel.	Special function type, drop back handle, mag wheel with united brake.

### Aluminum manual wheelchair



Type	HWC69	HWC70	HWC71
Seat size (cm)	41	41	41
Weight (kg)	13	14	14

Capability (kg)	100	100	100
Legrest and armrest	Detachable	Detachable	Detachable
Facture	Special function type, reclining high back and elevating legrest.	Special function type, with drop back handle and drum brake.	Special function type, with drop back handle and drum brake.

**Aluminum manual wheelchair**



Type	<b>HWC72</b>	<b>HWC73</b>	<b>HWC74</b>
Seat size (cm)	41	41	35
Weight (kg)	14	13	13
Capability (kg)	100	100	100
Legrest and armrest	Detachable	Detachable	Detachable
Facture	Special function type, with drop back handle and drum brake.	Special function type, with drop back handle.	Special function type, with drop back handle.

**Aluminum manual wheelchair**



Type	<b>HWC75</b>	<b>HWC76</b>	<b>HWC77</b>	<b>HWC78</b>
Seat size (cm)	44	41 (46)	41	41
Weight (kg)	16	16	16	17
Capability (kg)	100	100		

Legrest and armrest	Detachable	Detachable	Detachable	Detachable
Facture	Special function type, mag wheel.	Special function type, with elevating legrest.	Special function type, with elevating legrest.	Quick release. Inclining armrest and elevating legrest.

### Aluminum manual wheelchair



Type	<b>HWC79</b>	<b>HWC80</b>	<b>HWC81</b>	<b>HWC82</b>
Seat size (cm)	41	41	41	41
Weight (kg)	14	14	14	15
Capability (kg)	110	100	110	
Legrest and armrest	Detachable	Detachable	Detachable	Detachable
Facture	Special function type, with elevating legrest.		Special function type, mag wheel.	Quick release. Inclining armrest.

### Aluminum sports wheelchair



Type	<b>HWC83</b>	<b>HWC84</b>	<b>HWC85</b>	<b>HWC86</b>
Seat size (cm)	40	36	36	40
Weight (kg)	13	13	13	6
Capability (kg)		100	100	100
Wheel	59	59	60	60

diameter (cm)				
Facture	High-strength wheelchair with drop back handle.	High-strength wheelchair.	High-strength wheelchair.	High-strength wheelchair.

### Aluminum sports wheelchair



Type	<b>HWC87</b>	<b>HWC88</b>	<b>HWC89</b>	<b>HWC90</b>
Seat size (cm)	36	41	40	36
Weight (kg)	13	13	13	13
Wheel diameter (cm)	60	65	59	60
Facture	High-strength wheelchair.	High-strength wheelchair.	High-strength wheelchair with drop back handle.	High-strength wheelchair.

### Aluminum commode wheelchair



Type	<b>HWC91</b>	<b>HWC92</b>	<b>HWC93</b>
------	--------------	--------------	--------------

Seat size (cm)	45	46	44
Weight (kg)	17	17	17
Capability (kg)	100		
Facture	Reclining high back, elevating legrest.	Reclining high back, elevating legrest.	

### Steel commode wheelchair



Type	<b>HWC94</b>	<b>HWC95</b>	<b>HWC96</b>	<b>HWC97</b>
Seat size (cm)	46	46	46	46
Weight (kg)	31	30	31	31
Capability (kg)		90		90
Facture	Reclining high back steel wheelchair, elevating legrest.	Reclining high back steel wheelchair, elevating legrest.	Reclining high back steel wheelchair, elevating legrest.	Reclining high back steel wheelchair, elevating legrest.

### Steel commode wheelchair



Type	<b>HWC98</b>	<b>HWC99</b>	<b>HWC100</b>
Seat size (cm)	44	44	45
Weight (kg)	21.6	22	21.6

Capability (kg)	100	100	
Facture		Quick release.	

### Steel commode wheelchair



Type	HWC101	HWC102	HWC103	HWC104
Seat size (cm)	44	44	44	44
Weight (kg)	20.6	23	20	20
Capability (kg)	100	100	100	100
Facture	Mag wheel.			

### Steel commode wheelchair



Type	HWC105	HWC106	HWC107	HWC108
Seat size (cm)	45(cm)	45(cm)	44(cm)	45(cm)
Weight (kg)	12(kg)	12(kg)	21.6(kg)	15(kg)
Capability (kg)	(kg)	100(kg)	100(kg)	100(kg)

Facture	Stainless steel commode wheelchair.			
---------	---	--	--	--

## STEEL COMMUNE CHAIR



Model	HWC109	HWC110	HWC111	HWC112	HWC113	HWC114
Seat Size/cm (L×W)	45×43	45×40	---	53×43	45×41	44×43
Seat H (cm)	52	44	35	42	48	48
Net weight (kg)	8	8	9	10.8	8	8.4
Model	HWC115	HWC116	HWC117	HWC118	HWC119	HWC120
Seat Size/cm (L×W)	49×44	43×44	45×44	44×43	44×43	44
Seat H (cm)	45	42	45	38	42	24
Net weight (kg)	8.3	8.3	11	5		4
Model	HWC121	HWC122	HWC123	HWC124	HWC125	HWC126
Seat Size/cm (L×W)	36×40	46×40	49×29	36×40	36×40	45×43
Seat H (cm)	36	43	31	36	36	49
Net weight (kg)	14	20	12	8	8	7.4

## SHOWER CHAIR



Model	HWC127	HWC128	HWC129	HWC130	HWC131	HWC132
Seat Size/cm (L×W)	55×35	40×37	46×37	51×37	51×30	48×51
Seat H (cm)		36	51	35	40	43
Net weight (kg)	14	2	14	7	6	12
Model	HWC133	HWC134	HWC135	HWC136	HWC137	
Seat Size/cm (L×W)	51×30	51×33	75×40	51×30	36×28	
Seat H (cm)	40	46	41	46	---	
Net weight (kg)	12	8	9.4	8	5	

## ALUMINUM WALKER

 <p>HAW001</p>	 <p>HAW002</p>	 <p>HAW003</p>	 <p>HAW004</p>	 <p>HAW005</p>
 <p>HAW006</p>	 <p>HAW007</p>	 <p>HAW008</p>	 <p>HAW009</p>	 <p>HAW010</p>
 <p>HAW011</p>	 <p>HAW012</p>	 <p>HAW013</p>	 <p>HAW014</p>	 <p>HAW015</p>
 <p>HAW016</p>	 <p>HAW017</p>	 <p>HAW018</p>	 <p>HAW019</p>	 <p>HAW020</p>



<b>Model</b>	HAW001	HAW002	HAW003	HAW004	HAW005
Size/cm (L×W×H)	59×66.5×83.5/93	48×58×76/85	64×58.5×87.5/95	62×62×90/96	62×62×90/96
Weight /kg	10	14	7	7	8
<b>Model</b>	HAW006	HAW007	HAW008	HAW009	HAW010
Size/cm (L×W×H)	48×58×76/85	50×61×82/92	49×60×76/94	50×64×82/92	52×63×83/93
Weight /kg	6	9.4	7	16	16
<b>Model</b>	HAW011	HAW012	HAW013	HAW014	HAW015
Size/cm (L×W×H)	52×64×83/93	48×58×76/95	52×56×78/96	52×56×78/96	52×59×79.5/95
Weight /kg	16	6	6	7	20
<b>Model</b>	HAW016	HAW017	HAW018	HAW019	HAW020
Size/cm (L×W×H)	51×52×76/94	52×56×78/96	74×60×54/64	42×58×64/82	50×62×82/100
Weight /kg	6	6	8.2	6	6
<b>Model</b>	HAW021	HAW022	HAW023	HAW024	HAW025
Size/cm (L×W×H)	56×56×77/94	48×62×82/100	50×62×82/100	35×51×52/62	44×46×76/86
Weight /kg	6	6	7	3	3
<b>Model</b>	HAW026	HAW027	HAW028	HAW039	
Size/cm (L×W×H)	52×57v56/85	83×58×116/158	85×63×104/120	83×58×116/158	
Weight /kg	6	13	10	13	

## ALUMINUM STICK



<b>HC001</b>	<b>HC002</b>	<b>HC003</b>	<b>HC004</b>	<b>HC005</b>	<b>HC006</b>	<b>HC007</b>	<b>HC008</b>	<b>HC009</b>	<b>HC010</b>
Single cane	Adjustable walking stick, high-strength aluminum alloy tube, plastic handgrip.								Folding walking stick

Model	Height (cm)	Model	Height (cm)
HC001	89	F006	68.5-91.3
HC002	71.5-94.5	F007	79.5-102.3
HC003	71.5-94.5	F008	80-102.8
HC004	71-93.8	F009	74-96.8
HC005	71-93.8	F010	81-91 (29.5)



<b>H</b> <b>C012M1</b>	<b>H</b> <b>0C012M2</b>	<b>H</b> <b>C012M3</b>	<b>H</b> <b>C012M4</b>	<b>H</b> <b>C012M5</b>	<b>H</b> <b>C012M1</b>	<b>H</b> <b>0C012M2</b>	<b>H</b> <b>C012M3</b>	<b>H</b> <b>C012M4</b>	<b>H</b> <b>C012M5</b>
Adjustable walking stick, high-strength aluminum alloy tube					Adjustable walking stick, high-strength aluminum alloy tube				

<b>Model</b>	<b>Height (cm)</b>	<b>Model</b>	<b>Height (cm)</b>
HC012M1	70.5-93.8	HC012M6	71-93.8
HC012M2	78-93	HC012M7	81.8-91.9 (29)
HC012M3	81-91(29)	HC012M8	81.5-91.9 (30)
HC012M4	77.5-95 (30)	HC012M9	81.5-91.9
HC012M5	82.5-92.6	HC012M10	81.2-91.3 (29.5)




---

## CRUTCH

							
<b>HC 014M</b>	<b>HC 014L</b>	<b>HC 015S</b>	<b>HC 015M</b>	<b>HC 015L</b>	<b>HC 016S</b>	<b>HC 016M</b>	<b>HC 016L</b>
Aluminum crutch, adjustable (medium, large)		Aluminum crutch, adjustable (small, medium, large)			Wood crutch, adjustable (small, medium, large)		

Model	Height (cm)	Model	Height (cm)
HC014M	112-132	HC015L	135-155.5
HC014L	127-147	HC016S	97.5-117.5
HC015S	95-115.5	HC016M	112-132
HC015M	114-134.5	HC016L	127-147

## Aluminum crutch

						
<b>HC018</b>	<b>HC0119</b>	<b>HC020</b>	<b>HC021</b>		<b>HC022</b>	<b>HC023</b>
Aluminum crutch, adjustable.			Multifunctional crutch, a sturdy support cane when folded, a comfortable seat when open.			Aluminum crutch

Model	Height (cm)	Model	Height (cm)
HC018	94-117	HC021	85.3
HC19	96-117	HC022	105-118
HC020	94-116.8	HC023	94-117






**4-foot walking stick**



<b>Model</b>	<b>Height (cm)</b>	<b>Model</b>	<b>Height (cm)</b>
HC024	77.5-97.5	HC027	75.5-98.3
HC025	83.5-106.3	HC028	72-95
HC026	75.5-98.5		

**4-foot walking stick**

				
<b>HC029</b>	<b>HC030</b>	<b>HC031</b>	<b>HC032</b>	<b>HC033</b>
4-foot walking stick, four-foot brace provides more balance and safety, and adjustable height.				

				
<b>HC034</b>	<b>HC035</b>	<b>HC036</b>	<b>HC037</b>	<b>HC038</b>
4-foot walking stick, four-foot brace provides more balance and safety, and adjustable height.				

---

<b>Model</b>	<b>Height (cm)</b>	<b>Model</b>	<b>Height (cm)</b>
HC029	64.5-87.3	HC034	71-93
HC030	72-94.8	HC035	74-96.8
HC031	79-93	HC036	71-93
HC032	74-96.8	HC037	66-88.8
HC033	74-96.8	HC038	71.5-94.3

## TROLLEY



**HT001**

Super ABS drug trolley  
Size: 600×580×910mm

**HT002**

Super ABS anaesthesia trolley  
Size: 660×460×1380mm

**HT003**

Super ABS 50-slot case trolley  
Size: 660×460×910mm



**HT004**

Super ABS emergency  
Treatment trolley  
Size: 660×460×1380mm

**HT005**

Super ABS medical  
treatment trolley  
Size: 840×460×1380mm

**HT006**

Super ABS drug trolley  
Super ABS 25-slot case trolley  
Size: 660×460×910mm

**HT007**

Size: 660×460×1380mm



**HT008**

I Super multi-function salvage trolley

Size: 800×450×960mm



**HT009**

Super multi-function anaesthesia trolley

Size: 780×480×960mm



**HT010**

Super Multi-function emergency Treatment trolley

Size: 780×470×950mm



**HT011**

II Super multi-function salvage trolley

Size: 800×450×960mm



**HT012**

Multi-function closed drug trolley

Size: 790×490×890mm



**HT013**

Luxury drug trolley  
Size: 1000×620×1410mm



**HT014**

Super multi-function supervise trolley

Size: 650×680×1360mm



**HT015**

Stainless steel anaesthetic trolley

Size: 670×420×810mm



**HT016**

Super multi-function emergency Transfusion trolley

Size: 810×540×920mm



**HT017**

**50-shelf stainless steel chart file trolley  
with two drawers and locks**

Size: 680×440×1180mm



**HT018**

**I Stainless steel emergency treatment trolley**

Size: 650×400×830mm



**HT019**

**Stainless steel case record 40-folder trolley**

Size: 680×400×1150mm



**KHKCHT020**

**Stainless steel case record 30-folder trolley**

Size: 680×400×990mm



**HT021**

**Stainless steel delivery trolley**

Size: 1480×820×1070mm



**HT022**

**Stainless steel trolley for oxygen bottle delivery**

Size: 1400×480×950mm



**HT023**

**Stainless steel nursing trolley**

Size: 900×500×880mm



**HT024**

**Stainless steel waste trolley**

Size: 950×650×850mm



**HT025**

**Stainless steel waste trolley**

Size: 800×600×930mm



**HT026**

**Stainless steel trolley**

Size: 630×400×960mm



**HT027**

**Stainless steel instrument trolley**

Size: 530×430×1030mm



**HT028**

**Stainless steel delivery trolley  
with plastic waste barrel**

Size: 1000×520×750mm



**HT029**

**Stainless steel three-layer  
instrument trolley**

Size: 760×470×920mm



**HT030**

**Fan-type instrument trolley**

Size: 1300×460×930mm



**HT031**

**Stainless steel wound cleaning trolley**

Size: 680×430×880mm

## CABINET AND TABLE



**HCT001**

**Stainless steel instrument cabinet**

Size: 900×400×1800mm



**HCT002**

**Stainless steel drug cabinet**

Size: 900×400×1800mm



**HCT003**

**Stainless steel instrument cabinet**

Size: 900×400×1800mm



**HTC004**

**Steel plastic-spray 2-drawer cabinet**

Size: 900×400×1800mm



**HCT005**

**Steel plastic-spray instrument cabinet**

Size: 900×400×1800mm



**HCT006**

**Sliding door appliance cabinet**

Size: 900×400×1800mm



**HCT007**

**Plastic-sprayed steel drug cabinet**  
Size: 900×400×1800mm



**HCT008**

**Plastic-sprayed steel drug cabinet**  
Size: 600×400×1700mm



**HCT009**

**Stainless steel prescription counter**  
Size: 1800×700×800/900mm



**HCT010**

**Plastic-sprayed steel multi-function  
information cabinet**  
Size: 900×400×1800mm



**HCT012**

**Office cabinet**  
Size: 1180×500×1800mm



**HCT013**

**Three-door clothes changing cabinet**  
Size: 900×500×1800mm



**HCT013**

**Doctor work table**

Size: 1400×700×760mm



**HCT014**

**Steel plastic-spray comprehensive work table  
with stainless top and bottom skirt**

Size: 3000×700×800mm



**HCT015**

**Six-door change cabinet**

Size: 900×500×1800mm



**HCT016**

**15-drawer shoe cabinet**

Size: 1850×980×380mm



**HCT017**

**Stainless steel wash basin  
with two auto inductive taps**

Size: 1650×650×800/1100mm



**HCT018**

**ABS plastic bedside table**

Size: 480×480×760mm



**HCT019**

**ABS plastic bedside table**

Size: 480×480×870mm



**HCT020**

**Steel plastic-sprayed bedside table  
with stainless steel skirt**

Size: 500×400×750mm



**HCT021**

**Bedstand with plastic-sprayed stainless steel top and mobile clapboard**

Size: 500×400×750mm



**HCT022**

**Stainless steel bedside table**

Size: 500×400×750mm



**HCT023**

**Stainless steel bedside table with double-drawer and truckles**

Size: 500×400×750mm



**HCT024**

**Stainless steel bedside table with double-drawer and truckles**

Size: 500×400×920mm



**HCT025**

**Steel plastic-spray bedside table with ABS top and removable baffle plate and truckles**

Size: 500×400×750mm



**HCT026**

**Stainless steel plastic-spray bedside table with double-drawer**

Size: 500×400×750mm

## MISCELLANEOUS



**HF001**

**I Steel plastic-sprat double-side drug shelf**

Size: 820×800×2000mm



**HF002**

**II double-side drug shelf**

Size: 1000×900×2000mm



**HF003**

**III Steel plastic-sprat drug shelf**

Size: 1000×460×2000mm



**HF004**

**IV Steel plastic-sprat closed drug shelf**

Size: 900×560×2000mm



**HF005**

**Small turntable**

Size: F500×H650mm



**HF006**

**Turntable**

Size: F920×H1800mm



**HF007**

**Steel plate punched advanced and plated waiting chair**

Size: 1800×800×800mm



**HF008**

**Glass reinforced plastic waiting chair**

Size: 1930×500×860mm



**HF009**

**Steel plastic-spray accompanying handchair with leather surface**

Size: 1900×545×580mm



**HF010**

**Stainless steel transfusion chair with frame**

Size: 900×660×1130mm



**HF011**

**Steel plastic-spray transfusion chair with leather surface**

Size: 760×640×870mm



**HF012**

**Galvanized nursing round stool  
With glass reinforced plastic top**



**HF013**

**Nursing round  
stool with truckles**



**HF014**

**Nursing round  
stool with truckles**



**HF015**

**Pneumatic round nursing stool**



**HF016**

**Pneumatic round nursing stool**



**HF017**

**Stainless steel lifting Nursing round stool**

**HF018**

**Aluminum alloy folding screen**

Size: 1900×1800mm





**HST001**

**Stainless steel washing basin**  
φ320mm



**HST002**

**Stainless steel dressing-change bowl**  
φ140mm



**HST003**

**Stainless steel kidney-type tray**



**HST004**

**Stainless steel square tray with cover**  
300×200mm (“1/2”)



**HST005**

**Stainless steel square tray**  
With cover 300×200mm (“1/2”),



**HST006**

**Stainless steel square**  
holes L#400×300×48  
M#350×250×48  
#300×200×48



**HST007**

**Stainless steel hand**  
**immersing barrel**  
230×400mm



**HST008**

**Stainless steel forceps**  
**immersing barrel with handle**  
100×160mm



**HST009**

**Stainless steel straight forceps**  
**immersing barrel**  
100×160mm



**HST010**

Stainless steel unguent pot  
Φ120mm



**HST011**

Stainless steel unguent pot  
Φ100mm



**HST012**

Stainless steel gauze pot  
φ120mm



**HST013**

Stainless steel store pot  
φ230mm



**HST014**

Stainless steel forceps barrel  
350 × 350mm



**HST015**

Stainless steel mixing barrel  
φ120mm



**HST016**

Stainless steel sterilization cup with cover